


**ABRASIVES**

**egebant**<sup>®</sup>

[www.egebant.com.tr](http://www.egebant.com.tr)





# ABRASIVES

[www.egebant.com.tr](http://www.egebant.com.tr)

# Abrasives



## Abrasive Belts / Wide Belts

### Product Features

Suitable for all sanding and grinding operations: with unsupported belt, sander pad and contact wheel


Special designs for customised applications, e.g. for furniture production to enable fast and clean preparation of large surfaces ready for painting

Wide range of sizes

Paper and cloth backed

All products with high tensile strength and optimum stretching resistance

### Joint types



Overlap joint

Double skived joint

Zigzag film joint

Film joint

Film on top joint

## Segmented Belts

### Product Features

Its strong polyester backing and sharp silicon carbide mineral provide superior performance in materials such as chipboard, MDF, HDF, and OSB.

Its special backing structure provides long life and high-performance.

### Applications

- ☐ Steel
- ☐ Wood
- ☐ Stainless Steel
- ☐ Paint / Varnish / Filler
- ☐ NF Metal
- ☐ Plastic
- ☐ Glass




Grain	Backing	Coating
Aluminium Oxide	D, F, G paper	Open
Zirconia Alumina	J, JF, X, XF Cloth	Semi-Open
Ceramic Aluminium Oxide	Y, Z Polyester	Close
Silicon Carbide (SiC)	Film	

- ☐ Custom sizes available



### Applications

- ☐ Calibrating, intermediate sanding and finishing



### Materials

- ☐ Chipboard
- ☐ OSB board MDF and HDF board

Grain	Backing	Coating	Grits
Silicon Carbide (SiC)	Y Polyester Paper	Semi-Open	24-180

## Velcro / Psa Discs

### Product Features


Suitable for orbital and rotary machines. These sandpapers, which have a wide range of sizes and holes, are suitable for wet and dry use, and also have cloth and film backing options.




### Applications

- ❑ Steel
- ❑ Stainless Steel
- ❑ Wood
- ❑ Paint / Varnish / Filler
- ❑ Plastic
- ❑ Metals
- ❑ Glass
- ❑ Stone


Grain	Backing	Coating
Aluminium Oxide	B, C, D, E, F paper	Semi-Open
Zirconia Alumina	X, JF Cloth	Close
Ceramic Aluminium Oxide	Film	
Silicon Carbide (SiC)		




**D1**  
9 Holes  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm




**D2**  
8 Holes  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm




**D3**  
6 Holes  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm




**D4**  
8 Holes  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm



**D5**  
8 Holes  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm



**D6**  
8 Holes (Outside)  
6 Holes (Inside)  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm



**D7**  
8 Holes (Outside)  
8 Holes (Inside)  
76 mm, 115 mm,  
125 mm, 150mm,  
180 mm, 200 mm,  
250mm  
1 hole in the center

## Foam and Sponge Sanding Pads/Discs

### Product Features

Flexible abrasives for countered surfaces

Due to its sponge backing, suitable for all profile surfaces

Dimension	Type	Grit Range
96x66x25 mm	Pad	36-400
96x123x12,5mm	Pad	36-400
115x140x5mm	Pad	Medium, Fine, Super Fine, Ultra Fine, Micro Fine
Diameter: 150 Velcro	Flat - Perforated	Medium, Fine, Super Fine



## Foam-Backed Abrasive Rolls

### Product Features

High quality flexible aluminium oxide abrasive rolls.

Due to its foam backing, suitable for all surfaces.

Very good performance on most woods, paint, varnish and lacquer.

Dimension	Grit Range	Unit
115 mm x 25 m	40-1500	1



# Flap Wheels

## Flap Wheels

### Product Features

Our flap wheels are used for stock removal, finishing, etc. on flat or different forms of surfaces. It is suitable for surface sanding operations. Thanks to its flexible leaf structure, it provides high performance on all kinds of surfaces.



### Applications

- Paint / Varnish / Filler
- Wood
- Plastic
- Metals

Grain	Backing
Aluminium Oxide	X Cloth - JF Cloth

Crit	24-36-40	50-60	80-120	150-220	240-320	400	Unit/Box
			100 x 50				2
			100 x 100				1
			150 x 30				1
			150 x 50				1
			165 x 30				3
			165 x 50				2
			200 x 50				1
			250 x 50				1
			300 x 30				1
			300 x 50				1
			350 x 50				1
			350 x 100				1
			380 x 75				1
			410 x 30				1
			410 x 50				1
			410 x 100				1

## Spindle Mounted Flap Wheels

### Product Features

Suitable for use on metal and wood surfaces.



### Applications

- Wood
- Plastic
- Metals

Grain	Backing
Aluminium Oxide- Silicon Carbide	X Cloth - JF Cloth

Crit	40-80	100-180	220-320	Unit/Box
			30 x 10 x 6	100
			30 x 15 x 6	100
			40 x 15 x 6	50
			40 x 20 x 6	50
			40 x 25 x 6	50
			40 x 30 x 6	50
			50 x 10 x 6	20
			50 x 15 x 6	20
			50 x 20 x 6	20
			50 x 25 x 6	20
			50 x 30 x 6	20
			50 x 40 x 6	20
			60 x 10 x 6	20
			60 x 15 x 6	20
			60 x 20 x 6	20
			60 x 25 x 6	20
			60 x 30 x 6	20
			60 x 40 x 6	10
			60 x 50 x 6	10
			80 x 15 x 6	10
			80 x 20 x 6	10
			80 x 25 x 6	10
			80 x 30 x 6	10
			80 x 40 x 6	9
			80 x 50 x 6	9



## Threaded Flap Wheel

### Product Features

Our threaded flap wheels are used for stock removal, finishing etc. on flat or different forms of surfaces. It is suitable for surface sanding operations. Thanks to its flexible leaf structure, it provides high performance on all kinds of surfaces.

Can be used on all standard angle grinders (80 m/s).

It can be easily removed and installed without the help of any tools.

### Applications

- Paint
- Plastic
- Wood
- Metal



Grain	Grit	Grit P40 - P120	Unit/Box
Aluminium Oxide	115 x 20 mm		5

## Slashed Flap Wheel

### Product Features

It adapts to profiled surfaces thanks to its fringed leaves.

### Applications

- Paint
- Wood
- Metals
- Plastic



Grain	Backing
Aluminium Oxide	X Cloth - JF Cloth

## CSD Flap Wheels

### Product Features

For removing paint, varnish and rust from seams, door jambs, drip moldings, pinchwelds and other difficult-to-reach areas.

### Applications

- Metal
- Paint
- Plastic



Grain	Color	Coating
Silicon Carbide (SiC)	Black	100 X 13
	Blue	150 X 13
	Purple	100 X 10 X 6
		100 X 20 X 6
		100 X 100 X 20

## V-TYPE Flap Wheel

### Product Features

It is suitable for sanding surfaces in corner welds and hard-to-reach spots. It is perfect for a wide range of jobs, from finishing to high stock removal, because of its wide selection of grit.

### Applications

- Welding
- Metals

Grain	Backing
Zirconia - Aluminium Oxide	X-Cloth



Grit P40 - P400	Unit / Box
160 x 14mm	10
160 x 20mm	10

## Nonwoven Flap Wheels

### Product Features

Ideal for satination or surface development on the surfaces of metal materials. Thanks to its flexible structure, it adapts to any surface.

### Applications

- ▣ Fiberglass
- ▣ Metal
- ▣ Paint
- ▣ Plastic

#### Grain

Aluminum Oxide  
Silicon Carbide (SiC)

A. Coarse	A. Medium	A. Fine	A. Very Fine
S. Medium	S. Fine	S. Very Fine	S.U. Fine



Combi Flap	Unit / Box
100 x 50	2
100 x 100	1
150 x 30	3
150 x 50	2
165 x 30	3
165 x 50	2
200 x 30	1
200 x 50	1
250 x 30	1
250 x 50	1
300 x 30	1
300 x 50	1
350 x 30	1
350 x 50	1
350 x 100	1
400 x 30	1
400 x 50	1
400 x 100	1

## Spindle Mounted Nonwoven Flap Wheels

### Product Features

Ideal for satination or surface development on the surfaces of metal materials. Thanks to its flexible structure, it adapts to any surface. It is suitable for use with hand machines.

A. Coarse	A. Medium	A. Fine	A. Very Fine
S. Medium	S. Fine	S. Very Fine	S.U. Fine

Spindle Mounted Nonwoven Mop	Spindle Mounted Combi-Mop	Unit / Box
40 x 20 x 6		50
50 x 20 x 6		20
50 x 30 x 6		20
60 x 15 x 6		20
60 x 30 x 6		20
80 x 40 x 6		9
80 x 50 x 6		9



Jewelry mop	Nonwoven	Combi	Abrasive
			100 x 10
			100 x 15
			100 x 20
			100 x 30

## Nonwoven Rolls

### Product Features

Suitable for hand use in surface development applications.



Nonwoven Rolls	A.	Alox	Red
A.COARSE	S.	Sic	Black/Gray
A.MED	Z.	ZR	Blue
A.FINE			
A.V.FINE	<b>Coarse</b>		P100 - P120
S.MED	<b>Medium</b>	Medium	P180 - P220
S.FINE	<b>Fine</b>	Thin	P280 - P320
S.V.FINE	<b>Very Fine</b>	Very Thin	P320 - P360
S.U.FINE	<b>Ultra Fine</b>	Ultra Thin	P500 - P600

## Nonwoven Discs And Sheets



Nonwoven	Sheet	Sheet	Disc Diameter	Unit / Box
A.COARSE	230 x 280	158 x 224	150	10
A.MED				
A.FINE				
A.V.FINE				
S.MED				
S.FINE				
S.V.FINE				
S.U.FINE				

# Flap Discs




Professional products with long life and high abrasion capacity.

## Zirconia alumina cloth

Aggressive zirconia alumina grit.

## Ceramic aluminium oxide + Multibond

Ceramic high Performance grit.



## Aluminium oxide cloth

Durable grit aluminium oxide.

## Egebant Alox

### Product Features

Ideal for metal surfaces and weld abrasion applications.

### Applications

- Metal
- Weld



Grain	Backing Plate	Sizes
Aluminium Oxide	Glass Fibre	115x22 125x22 180x22

Grit				
P36	P40	P60	P80	P120

## Egebant ZR

### Product Features

Ideal for metal surfaces and weld abrasion applications.

High stock removal performance thanks to its zirconia mineral.

### Applications

- Stainless Steel



Grain	Backing Plate	Sizes
Zirconia	Glass-Fibre	115x22 125x22 180x22

Grit				
P36	P40	P60	P80	P120

# Flap Discs

## Egebant ZR Extra

### Product Features

It has high abrasiveness and is durable and long-lasting. This product is especially ideal on steel and stainless steel surfaces.

### Applications

- Weld
- Deburring
- Metal



Grain	Backing Plate	Sizes
Zirconia alumina	Glass Fibre	115x22 125x22 180x22

Crit
P36   P40   P60   P80   P120

## Egebant SER

### Product Features

It is long-lasting, durable, and has a high level of abrasiveness.

### Applications

- Stainless Steel
- Weld
- Deburring
- Metal



Grain	Backing Plate	Sizes
Ceramic Aluminium Oxide	Glass Fibre	115x22 125x22 180x22

Crit
P36   P40   P60   P80   P120

## Sander Alox

### Product Features

Ideal for metal surfaces and weld abrasion applications.

### Applications

- Metal
- Weld



Grain	Backing Plate	Sizes
Aluminium Oxide	Glass Fibre	115x22 125x22 180x22

Grit				
P36	P40	P60	P80	P120

## Sander ZR

### Product Features

Ideal for metal surfaces and weld abrasion applications.

High stock removal performance thanks to its zirconia mineral

### Applications

- Stainless Steel



Grain	Backing Plate	Sizes
Zirconia al. / Al. oxide	Plastic Glass Fibre reinforced	115x22 125x22 180x22

Grit				
P36	P40	P60	P80	P120

## Radial Discs

### Radial CSD Disc

#### Product Features

For scraping paint and varnish, removing rust and satin used.

It is suitable for use with angle grinder machine.



#### Applications

- ▣ Fiberglass
- ▣ Metal
- ▣ Paint
- ▣ Plastic

Grain	Color	Sizes
Silicon Carbide (SiC)	Black	100x22
	Blue	115x22
		125x22
		150x22
		180x22

### Radial Nonwoven Disc

#### Product Features

Ideal for satination or surface development on the surfaces of metal materials. Thanks to its flexible structure, it adapts to any surface. It is suitable for use with angle grinder machine

#### Applications

- ▣ Metals



Grain	Sizes	Grit
Aluminium Oxide, Silicon Carbide (SiC)	115x20	A. Fine, A. Very Fine, S. Fine, S. Very Fine, S. Ultra Fine

### Radial Abrasive Disc

#### Product Features

It is used for light stock removal without leaving deep lines.

#### Applications

- ▣ Metals
- ▣ Stainles Steel
- ▣ Steel



Grain	Grit	Sizes
Aluminium Oxide	60-400	115x22-125x22



## Quick Change Abrasives

### Product Features

Easy to change used with rotary sander machines for grinding finishing and deburring on metal wood and plastics.



Diameter	Mineral	Grain	Grit	Unit / Box
30 mm	Alox, Zirconia, Silicon Carbide, A Coarse, A. Medium, A. Very Fine	Nonwoven	24-400	100
50 mm	Alox, Zirconia, Silicon Carbide, A Coarse, A. Medium, A. Very Fine	Fiber, Nonwoven	24-400	
75 mm	Alox, Zirconia, Silicon Carbide, A Coarse, A. Medium, A. Very Fine	Fiber, Nonwoven	24-400	
100 mm	Alox, Zirconia, Silicon Carbide, A Coarse, A. Medium, A. Very Fine	Fiber, Nonwoven	24-400	

## Drum Abrasives

### Product Features

It is suitable for use in processes such as surface development and deburring. It has a wide application area thanks to different grit sizes and sandpaper options.



# egebant®

## Headquarter

A: TOSB 3. Cadde No: 23 Pk. 41420  
Sekerpinar, Cayirova/Kocaeli  
T: +90 262 679 1313  
F: +90 262 679 1300  
E: info@egebant.com.tr

[www.egebant.com.tr](http://www.egebant.com.tr)



/egebant



/egebantcom



/Egebant



/Egebant



/EgebantComTr