

**ADHESIVE
TAPES**

e
gebant[®]





ADHESIVE TAPES

Adhesive Tapes



Packaging Tapes

Product Features

General purpose packaging tape.
 It is suitable for light and medium weight carton closure.
 Suitable for use with hand-held dispenser and automatic packaging machines
 Can be produced at any desired width and length



Product Code	Carrier	Adhesive Type	Color	Thickness	Elongation (%)	Temperature Resistance (°C)	Application Areas
Sander PP5231	BOPP	Synthetic Rubber	Transparent / Brown / White	25 mic.	145	60	General purpose packaging tape.
Egebant PP31	BOPP	Synthetic Rubber	Transparent / Brown / White	28 mic.	145	60	General purpose packaging tape.
Egebant PP30S	BOPP	Natural Rubber	Transparent / Brown / White	28 mic.	145	60	General purpose packaging tape.
Egebant PP35	BOPP	Natural Rubber	Transparent / Brown / White	35 mic.	145	60	General purpose packaging tape.
Egebant PVC 330	PVC	Natural Rubber	Transparent / Brown / White	33 mic.	145	60	General purpose packaging tape.
Egebant Kraft Tape	Kraft Paper	Natural Rubber	Brown	105 mic.	6	60	General purpose packaging tape.



Masking Tapes

Product Features

- Can be removed without leaving a residue
- Solvent-resistant
- Temperature resistance
- Easy tear
- Controlled expansion
- Conformability to stretch and adhere round curves
- High initial adhesion



Product Code	Carrier	Adhesive Type	Thickness	Temperature Resistance (°C)	Application Areas
Sander 6127	Crepe Paper	Natural Rubber	110 mic.	30	General purpose masking tape. Construction industry, automotive industry, white goods sector and cable bundling.
Egebant MSK60	Crepe Paper	Natural Rubber	125 mic.	80 (30')	General purpose masking tape. Construction industry, automotive industry, white goods sector and cable bundling.
Egebant MSK6280	Crepe Paper	Natural Rubber	130 mic.	100 (30')	High heat resistance, wet sanding and tiner-like chemical resistance, a general purpose masking tape. Up to 100 degree heat resistance.
Egebant MSK100	Waterproof Crepe Paper	Natural Rubber	140 mic.	120 (30')	General purpose masking tape. Very high heat resistance, resistant to wet sanding and filling materials, thinner infrared light, durable and resistant to chemicals. Up to 120 degrees heat resistance
Egebant P40	PET	Silicon	60 mic.	180 (30')	High-Temperature powder paint masking tape.
Egebant 6268	Crepe Green Paper	Natural Rubber	125 mic.	80 (30')	General purpose masking tape. Construction industry, automotive industry, white goods sector and cable bundling.
Egebant 6265	Crepe Blue Paper	Natural Rubber	125 mic.	80 (30')	General purpose masking tape. Construction industry, automotive industry, white goods sector and cable bundling.
Egebant 6267	Crepe Orange Paper	Natural Rubber	125 mic.	80 (30')	General purpose masking tape. Construction industry, automotive industry, white goods sector and cable bundling.
Maskopri	Paper HDPE Film	Natural Rubber	125 mic.	80 (30')	The film is electrostatically loaded to stick to whole surface. Recommended for professional, industrial and DIY applications.

Egebant Colored Masking Tape



Product Code	Colors	Adhesive Type	Temperature Resistance (°C)	Application Areas
Egebant 25 x 50	Blue, Orange, Green, White	Naturel Rubber	80	General purpose masking tape. Construction industry, automotive industry, white goods industry and cable bundling.
Egebant 50 x 50				

Duct Tapes

Product Features

- Hand-tearable
- Moisture resistant
- Can adhere to most surfaces
- High tensile strength
- Waterproof, suitable for many repair applications.



Product Code	Carrier	Adhesive Type	Color	Thickness	Elongation (%)	Temperature Resistance (°C)	Application Areas
Egebant TPL201	PE Coated Cloth	Synthetic Rubber	Black / White / Gray	180 mic.	10	60	It is a general purpose cloth tape.
Egebant TPL204	PE Coated Cloth	Synthetic Rubber	Gray	155 mic.	13	60	It is a multi-purpose, single-sided repair tape.
Egebant CTI604	PE	Synthetic Rubber	Gray	160 mic.	10	60	General purpose cloth tape.

Strapping Tapes

Product Features

No residue left on the surface after sticking.

Used for strapping plastic and metal parts in White Goods Industry.

High UV resistance.



Product Code	Carrier	Adhesive Type	Color	Thickness	Temperature Resistance (°C)	Application Areas
Egebant PP505	MOPP	Natural Rubber	White	70 mic.	60	General-purpose strapping tape.
Egebant PP550	MOPP	Natural Rubber	Blue / White	55 mic.	60	General-purpose strapping tape.
Egebant PP855	MOPP	Natural Rubber	Blue	113 mic	60	General-purpose strapping tape.
Egebant PP850	MOPP	Natural Rubber	Blue / White	113 mic.	60	General-purpose strapping tape.

Filament Tapes

Product Features

Reinforced with glass fiber packaging and bundling tape.



Product Code	Carrier	Adhesive Type	Color	Thickness	Elongation (%)	Temperature Resistance (°C)	Application Areas
Egebant FG10	Reinforced with fiberglass BOPP	Synthetic Rubber	Clear / White	120 mic.		60	Flat braided, palletizing tape
Egebant FGBD	Reinforced with fiberglass BOPP	Synthetic Rubber	Clear / White	120 mic.		60	Cross-linked palletizing tape
Egebant ST300	MOPP	Synthetic Rubber	Clear	50 mic.		60	Food and beverage packages transport band is used as
Egebant GL96	Fiberglass	Silicon	White	165 mic.	3,5	250	Glass fiber with high temperature resistance, one side is reinforced cloth tape.

Aluminium Tapes

Product Features

- High resistance to moisture and chemicals
- Thermal conductivity
- Heat and light reflectance
- Flame resistance
- Strength of the external environment
- Vibration damping and isolation



Product Code	Carrier	Adhesive Type	Color	Thickness	Tensile Strength	Temperature Resistance (°C)	Application Areas
Egebant AF1825	Al.Foil	Acrylic	Metallic Gray	18 mic.	40	150	18 mic. Aluminium tape
Egebant AF3025	Al.Foil	Acrylic	Metallic Gray	30 mic.	40	150	30 mic. Aluminium tape
Egebant AF4025	Al. Foil	Acrylic	Metallic Gray	40 mic.	40	150	40 mic. Aluminium tape
Egebant AF5025	Al. Foil	Acrylic	Metallic Gray	50 mic.	40	150	50 mic. Aluminium tape
Egebant AF7525	Al. Foil	Acrylic	Metallic Gray	75 mic.	60	150	75 mic. Aluminium tape
Egebant TT9934	Al. Foil	Acrylic	Metallic Gray	150 mic.	275	150	150 mic. Aluminium tape
Egebant TT9940	BOPP - Al. Foil	Acrylic	Metallic Gray	90 mic.	105	150	It is a BOPP coated adhesive aluminium tape having high tensile strength. Used in white goods sector and aluminium panels bonding.
Egebant AF5025	VL-Al.Foil	Acrylic	Metallic Gray	90 mic.	40	120	HVAC

Double Sided Tapes

Product Features

High initial adhesion

Easy to tear by hand

Designed to bond to low surface energy plastic



Product Code	Carrier	Adhesive Type	Color	Thickness (mic.)	Temperature Resistance (°C)	Application Areas
Egebant TNT710	Non Woven	Synthetic Rubber	Translucent	100	60	Usually laminated foam operations, cardboard, metal and adding used.
Egebant D022A	Non Woven	Acrylic	Translucent	100	120	For general purposes, wood, metal, glass, paper, plastic used for welding
Egebant 6750	Non Woven	Acrylic	Blue	100	200	Has a high initial adhesive strength and high-speed coil Adding used
Egebant 8160	PET	Acrylic	Clear	120	100	General purpose
Egebant D5082	PET	Acrylic	Clear	100	90	General purpose
Egebant D5028	PET	Acrylic	Clear	125	90	General purpose
Egebant D2040	PET	Acrylic	Clear	95	90	General purpose
Egebant TNT710/160	Non Woven	Synthetic Rubber	Translucent	160	60	Laminated foam operations, cardboard and general purpose
Egebant VX160	Non Woven	Synthetic Rubber	Translucent	160	60	Laminated foam operations, cardboard and general purpose
Egebant H-09	Non Woven	Synthetic Rubber	Translucent	80	60	Laminated foam operations, cardboard and general purpose
Egebant 90HX	Non	Acrylic	White	110	90	Cross Linked Transfer Tape

Film Backing Tapes

Product Features

- Ease of use
- PVC, PET, cloth, fabric and OPP carriers
- Kinds of acrylic and rubber adhesive
- High and low surface energy good adhesion to the product
- High initial adhesion force



Product Code	Carrier	Adhesive Type	Color	Thickness (mic.)	Temperature Resistance (°C)	Application Areas
Egebant RDA700	OPP	Synthetic Rubber	Clear	98	60	General purpose
Egebant PT150	PET	Modified Acrylic	Translucent	150	120	Bonding of metal panels and mirrors.
Egebant PT205	PET	Modified Acrylic	Translucent	205	120	Bonding of metal panels and mirrors.

Foam Tapes

Product Features

- Flexibility and space-filling
- Bonding rough or irregular surfaces
- Vibration and noise isolation
- Impact resistance
- Heat resistance



Product Code	Carrier	Adhesive Type	Color	Thickness (mm)	Temperature Resistance (°C)	Application Areas
Egebant FT 67	PE Foam	Acrylic	White	1,0	90	General purpose bonding solutions used in outdoor environments.
Egebant FT 67	PE Foam	Acrylic	Black	1,0	90	General purpose bonding solutions used in outdoor environments.
Egebant 1100R+	Modified Acryled Foam	Acrylic	White	1,1	120	General purpose bonding solutions used in outdoor environments.
Egebant 71100	Modified Acryled Foam	Acrylic	Black/White	1,1	120	General purpose bonding solutions used in outdoor environments.
Egebant 640R+	Modified Acryled Foam	Acrylic	White	0,64	120	General purpose bonding solutions used in outdoor environments.
Egebant 70080	Modified Acryled Foam	Acrylic	Black/Gray	0,8	120	General purpose bonding solutions used in outdoor environments.
Egebant 500R	NON	Acrylic	Transparent	0,5	120	General purpose bonding solutions used in outdoor environments.
Egebant 1000R	NON	Acrylic	Transparent	1,0	120	General purpose bonding solutions used in outdoor environments.

Pe Freezer Tapes



Product Code	Carrier	Adhesive Type	Color	Thickness	Tensile Strength	Adhesive N/25mm	Application Areas
Egebant TT6405	LDPE	Syn. Rubber	White	73 mic.	28	13	Used in Evap coil winding in white goods industry. Polyurethane has a high binding capacity. Strong resistance against cold.
Egebant TT6400	LDPE	Syn. Rubber	White	85 mic.	30	20	Used in Evap coil winding in white goods industry. Polyurethane has a high binding capacity. Strong resistance against cold.

Isolation Plate

Product Features

Adhesive laminated Polycarbonate or PVC plates, to isolate electronic components, in electronic devices.



Refrigerator Back Carton Plates

Product Features

Aluminium and PE laminated carton for refrigerator back panels. Can be converted in different dimensions and shapes.





Isolation Foam

Product Features

Adhesive laminated Polyurethane or Silicone strips for TV production.

Different friction and shore levels


Can be converted into different lengths and widths



Die-Cut Kiss-Cut Product

Product Features

Adhesive laminated foams. Die cut, kiss cut, double sided tape, Aluminium Tapes.



Notes

Lined area for taking notes, consisting of horizontal lines.

egebant®

Headquarter

A: TOSB 3. Cadde No: 23 Pk. 41420
Sekerpinar, Cayirova/Kocaeli
T: +90 262 679 1313
F: +90 262 679 1300
E: info@egebant.com.tr

www.egebant.com.tr



/egebant



/egebantcom



/Egebant



/Egebant



/EgebantComTr