
ABRASIVE CATALOG



egebant®

www.egebant.com.tr

Rich Heritage,
Strong Future

Since **1969**

+**57** Years of Experience

+**50** Sales Specialists

+**75** Dealer Network

2 Manufacturing Plants

1 R&D Center

Total Employees +**650**

egebant
Kocaeli
Headquarter and
Factory

egebant
Şanlıurfa
Factory



egebant
Global Export
Network



3+ Continents **30** Countries

Şanlıurfa Fabrika



Kocaeli Fabrika & Genel Müdürlük



ABOUT US

Egebant was established in Karaköy in 1969. With its sustainable solutions, Egebant prioritises customer satisfaction at the highest level and aims to be the permanent solution partner of its customers and stakeholders. In line with this mission, it has been collaborating with globally recognised brands for many years.

Accordingly, Egebant brings the products of globally strong brands such as 3M, Klingspor, Dynabrade, and Sicad to the Turkish market.

Guided by its core values of trustworthiness, innovation, sincerity, courage, and participation, Egebant builds long-term, trust-based relationships with its customers and stakeholders while developing flexible, tailored solutions for them.

By leveraging its manufacturing experience, which it has gained through providing services to many industry-leading brands—from the automotive sector to home appliances—Egebant continues to expand its product range with its brands, Egebant and Sander, while making investments in line with market needs.

With over 650 employees, more than 50 active sales specialists, and a widespread dealer network across Turkey, Egebant operates manufacturing facilities in Şekerpınar, Kocaeli, and Şanlıurfa. The company exports to more than 30 countries across three continents, primarily in Europe, offering a diverse range of products for various industries.

Through its customer-centric approach, Egebant conducts research and development (R&D) activities to create innovative solutions that generate value for all its customers and stakeholders.

As part of its environmental policy, Egebant effectively manages the inputs of its production processes and energy resources, developing methods to increase energy efficiency, reduce waste, and prevent pollution.

With a commitment to environmental sustainability, the company has launched a Zero Waste Project in its facilities, ensuring waste separation at the source to minimise environmental risks. Additionally, Egebant is expanding its expertise in green energy through its recycling facilities.

Moreover, to contribute to the reduction of emissions and the development of a renewable energy system, Egebant plans to generate a significant portion of the energy it consumes at its Şanlıurfa production facility through a rooftop solar power plant.

For 56 years, Egebant has been successfully growing its brands and reputation with the vision of becoming a global leader, continuously producing sustainable solutions and creating lasting value for all its stakeholders.

Finding the Right Gloves is

Now Effortless!

Easily find the gloves you are looking for by using the Glove Selector on **egebant.com.tr**, powered by an algorithm that simplifies glove selection for various industries and needs.

The best protection is in your hands with the fastest selection!



1. Scan the QR code
2. Select the Filters You Want!
3. View the Gloves That Match Your Needs



SCAN THE QR CODE

TABLE OF CONTENTS

Abrasives

Abrasive Belts / Wide Belts 8
Segmented Belts 9
Velcro / Psa Discs..... 10
Foam and Sponge Sanding Pads/Discs.....11
Flap Wheels..... 12-15
Nonwoven Abrasives 16-18
Flap Discs..... 19-22
Radial Discs..... 23-25
Notes 27


egebant
Sanour D
9
391 734


egebant
Max. Speed 80m/s
MAX. 13300 RPM
LOT NO: 14.02.2014
ALOX
60
309X
FLAP DISK


egebant



ABRASIVES

Wide Abrasive Belts

Product Features

Suitable for all sanding and grinding operations: with unsupported belt, sander pad and contact wheel

Wide range of sizes

Paper and cloth backed


All products with high tensile strength and optimum streching resistance



Applications

- Steel
- Wood
- Stainless Steel
- Paint / Varnish / Filler
- NF Metal
- Plastic
- Glass

Adhesive Types




Mineral	Backing	Grain
Aluminium Oxide	Polyester, Paper, Cloth ,X-Cloth	P24-P1200
Zirconium	Polyester, Paper ,X-Cloth	P24-P400
Ceramic	Polyester, Paper ,X-Cloth	P24-P400
Silicon Carbide (SIC)	Polyester, Paper, Cloth	P24-P800

Segmented Belts

Product Features

Exceptionally tear-resistant type of polyester.

The perfectly balanced ACT recipe allows for a long service life combined with an excellent removal rate.



Applications

- Calibrating, intermediate sanding and finishing

Materials

- Chipboard
- OSB board MDF and HDF board

Mineral	Backing	Grain
Silicon Carbide (SIC)	Y Polyester Paper	P24-P180 P40-P800

Velcro / Psa Discs

Product Features


Suitable for orbital and rotary machines. These sandpapers, which have a wide range of sizes and holes, are suitable for wet and dry use, and also have cloth and film backing options.




Applications

- Steel
- Stainless Steel
- Wood
- Paint / Varnish / Filler
- Plastic
- Metals
- Glass
- Stone


Mineral	Backing	Grain
Aluminium Oxide	Paper, Cloth, Film	P24-P2000
Zirconium	Paper, Cloth	P24-P400
Ceramic	Paper, Cloth, Film	P24-P400
Silicon Carbide (SIC)	Paper, Cloth	P24-P800




D1
9 Hole
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm




D2
8 Hole
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm




D3
6 Hole
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm




D4
8 Hole
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm



D5
8 Hole
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm



D6
8 Hole (Outside)
8 Hole (Inside)
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm



200 mm, 250 mm


D7
8 Hole (Outside)
8 Hole (Inside)
Diameter 76 mm,
115 mm,125 mm,
150 mm,180 mm,
200 mm, 250 mm
1 hole in the belly

Foam and Sponge Sanding Pads/Discs

Product Features

Flexible abrasives for countered surfaces

Due to its sponge backing, suitable for all profile surfaces



Dimension	Type
96x66x25 mm	Cubic
96x123x12,5mm	Flat
115x140x5mm	Flat
Disc	

Foam-Backed Abrasive Rolls

Product Features

High quality flexible aluminium oxide abrasive rolls.

Due to its foam backing, suitable for all surfaces.

Very good performance on most woods, paint, varnish and lacquer.



Dimension	Grit Range
115 x 25 mm	40-2000

Flap Wheels

Product Features

An abrasive mop is a popular choice across a wide variety of applications.

These include:

Grinding fillet welds

Deburring operations,

Removal of heat tinting

Rust removal on steel



Applications

- Paint / Varnish / Filler
- Wood
- Plastic
- Metals

Grit	Unit / Box
100 x 50	2
100 x 100	1
150 x 30	1
150 x 50	1
165 x 30	3
165 x 50	2
200 x 50	1
250 x 50	1
300 x 30	1
300 x 50	1
350 x 50	1
350 x 100	1
380 x 75	1
410 x 30	1
410 x 50	1
410 x 100	1

Grain
P36
P40
P60
P80
P120
P180
P220
P240
P400
P800

Mineral
Aluminium Oxide
Zirconium
Silicon Carbide

Spindle Mounted Flap Wheels

Product Features

Suitable for use on metal and wood surfaces.

Applications

- Wood
- Plastic
- Metals



Grit	Unit / Box
30 x 10 x 6	100
30 x 15 x 6	100
40 x 15 x 6	50
40 x 20 x 6	50
40 x 25 x 6	50
40 x 30 x 6	50
50 x 10 x 6	20
50 x 15 x 6	20
50 x 20 x 6	20
50 x 25 x 6	20
50 x 30 x 6	20
50 x 40 x 6	20
60 x 10 x 6	20
60 x 15 x 6	20
60 x 20 x 6	20
60 x 25 x 6	20
60 x 30 x 6	20
60 x 40 x 6	10
60 x 50 x 6	10
80 x 15 x 6	10
80 x 20 x 6	10
80 x 25 x 6	10
80 x 30 x 6	10
80 x 40 x 6	9
80 x 50 x 6	9

Grain
P36
P40
P60
P80
P120
P180
P220
P320
P400
P800

Grain
Aluminium Oxide
Zirconium
Silicon Carbide

Threaded Flap Wheel

Product Features

Our threaded flap wheels are used for stock removal, finishing etc. on flat or different forms of surfaces. It is suitable for surface sanding operations.

Can be used on all standard angle grinders(M14) (80 m/s).

It can be easily removed and installed without the help of any tools.



Applications

- Paint
- Plastic
- Wood
- Metal

Grain	Grit	P40 - P400	Unit / Box
Aluminium Oxide	115 x 25 mm		5

Slashed Flap Wheel

Product Features

It adapts to profiled surfaces thanks to its fringed leaves.



Applications

- Paint
- Plastic
- Wood
- Metal

Grain	Grain
Aluminium Oxide	P36-P800
Ceramic	P36-P800

CSD Flap Wheels

Product Features

For removing paint, varnish and rust.



Applications

- Metal
- Paint
- Plastic

Grain	Colour	Size
Silicon Carbide (SIC)	Black	100 x 13
	Blue	150 x 13
	Purple	100 x 10 X 6
		100 x 20 X 6
		100 x 100 X 20

V-TYPE Flap Wheel

Product Features

It is suitable for sanding surfaces in corner welds and hard-to-reach spots.



Applications

- Welding
- Metals

Grain	Grain P40 - P400	Unit / Box
Aluminium Oxide	160 x 14 mm	10
Zirconium	160 x 20 mm	10

Combi Flap Wheels

Product Features

Alternating flaps of coated and non-woven materials will cut and finish in a single step. Ideal for surface conditioning on metal parts.



Applications

- Fiberglass
- Metal
- Paint
- Plastic

Non-Woven Flap Wheels

Product Features

Alternating flaps of coated and non-woven materials will cut and finish in a single step.Ideal for surface conditioning on metal parts.



Applications

- Fiberglass
- Metal
- Paint
- Plastic

Mineral			
Aluminium Oxide			
Zirconium			
Silicon Carbide			
A. Coarse S. Medium	A. Medium S. Fine	A. Fine S. Very Fine	A. Very Fine S. Ultra Fine

Diameter	Unit / Box
100	2
100	1
150	3
150	2
165	3
165	2
200	1
200	1
250	1
250	1
300	1
300	1
350	1
350	1
350	1
400	1
400	1
400	1

Spindle Mounted Nonwoven Flap Wheels

Product Features

Ideal for satination or surface development on the surfaces of metal materials. Thanks to its flexible structure, it adapts to any surface. It is suitable for use with hand machines. (6 mm)

Ideal for surface conditioning on metal parts .



Spindle Mounted Nonwoven Mop	Spindle Mounted Combi-Mop	Unit / Box
40 x 20 x 6		50
50 x 20 x 6		20
50 x 30 x 6		20
60 x 15 x 6		20
60 x 30 x 6		20
80 x 40 x 6		9
80 x 50 x 6		9

Nonwoven	Combi	Abrasive
	100 x 10	
	100 x 15	
	100 x 20	
	100 x 30	

A. Coarse S. Medium	A. Medium S. Fine	A. Fine S. Very Fine	A. Very Fine S. Ultra Fine

Nonwoven Rolls


Product Features

Suitable for hand use in surface development applications.

Nonwoven Rolls
A.COARSE
A.MED
A.FINE
A.V.FINE
S.MED
S.FINE
S.V.FINE
S.U.FINE
GREEN

A.	Alox	Red
S.	Sic	Black/Grey

Coarse	Rough
Medium	Medium
Fine	Thin
Very Fine	Very Thin
Ultra Fine	Ultra Thin



Nonwoven Discs And Sheets

Nonwoven	Sheet	Sheet	Unit / Box
A.COARSE	230 x 280	158 x 224	10
A.MED			
A.FINE			
A.V.FINE			
S.MED			
S.FINE			
S.V.FINE			
S.U.FINE			
GREEN			

* It can be produced in the desired size.




Professional products with long life and high abrasion capacity.

Zirconia alumina cloth

Aggressive zirconia alumina grit.

Ceramic + Multibond

High-grade ceramic mineral with superior performance



Aluminium Oxide

Durable grit aluminium oxide.

Egebant Alox

Product Features

Ideal for metal surfaces and weld grinding applications.



Applications

- Metal
- Weld

Mineral	Backing	Sizes
Aluminum Oxide	Glass Fiber	115 x 22 125 x 22 180 x 22

Grain
P36
P40
P60
P80
P120

Egebant ZR

General Properties

Ideal for metal surfaces and weld grinding applications.

High stock removal performance thanks to its zirconia mineral.



Applications

- Stainless Steel

Grain	Backing	Sizes
Zirconium	Glass-Fiber	115 x 22 125 x 22 180 x 22

Grain
P36
P40
P60
P80
P120

Egebant ZR Extra

Product Features

It has high abrasiveness and is durable and long-lasting. This product is especially ideal on steel and stainless steel surfaces.



Applications

- Weld
- Deburring
- Metal

Grain	Backing	Sizes
Zirconium	Glass-Fiber	115 x 22 125 x 22 180 x 22

Grain
P36
P40
P60
P80
P120

Egebant SER

Product Features

It is long-lasting, durable, and has a high level of abrasiveness.



Applications

- Stainless Steel
- Weld
- Deburring
- Metal

Grain	Backing	Sizes
Ceramic	Glass Fiber	115 x 22 125 x 22 180 x 22

Grain
P36
P40
P60
P80
P120

Sander Alox

Product Features

Ideal for metal surfaces and weld grinding applications.



Areas of Usage

- Metal
- Weld

Mineral	Backing	Sizes
Aluminum Oxide	Glass Fiber	115 x 22 125 x 22 180 x 22

Grain
P36
P40
P60
P80
P120

Sander ZR

General Properties

Ideal for metal surfaces and weld grinding applications.

High stock removal performance thanks to its zirconia mineral.



Applications

- Stainless Steel

Mineral	Backing	Sizes
Zirconium	Glass Fibre Reinforced	115 x 22 125 x 22 180 x 22

Grain
P36
P40
P60
P80
P120

Radial CSD Disc

Product Features

For scraping paint and varnish, removing rust.

It is suitable for use with angle grinder machine.



Applications

- Fiberglass
- Metal
- Paint
- Plastic

Mineral	Colour	Sizes
Silicon Carbide (SIC)	Black Blue	100 x 16 115 x 22 125 x 22 150 x 22 180 x 22

Radial Nonwoven Disc

Product Features

Non woven flap wheel for angle grinders.



Applications

- Metal

Mineral	Sizes	Grain
Aluminium Oxide Silicon Carbide (SIC)	115 x 20	A. Fine, A. Very Fine, A. Medium, A. Coarse S. Fine, S. Very Fine, S. Ultra Fine

Radial Abrasive Disc

Product Features

It is used for light stock removal without leaving deep lines.

Light stock removal with angle grinders.



Applications

- Metals
- Stainles Steel
- Steel

Mineral	Sizes	Grain
Aluminium Oxide	115 x 22	P60-P400



Quick Change Discs



Product Features

Quick-change abrasive discs designed for efficient surface preparation, cleaning, sanding, blending, deburring, and finishing. The attachment system allows technicians to change compatible discs quickly without replacing the backing pad, making it useful for jobs that require multiple abrasive grades or abrasive types.

Diameter	Mineral	Backing	Grain	Unit / Box
30 mm	Alox, Zirconia, Silicon Carbide, Ceramic, Non-Woven	Cloth, Fiber	P24-P400	100
50 mm	Alox, Zirconia, Silicon Carbide, Ceramic, Non-Woven	Fiber, Nonwoven	P24-P400	
75 mm	Alox, Zirconia, Silicon Carbide, Ceramic, Non-Woven	Fiber, Nonwoven	P24-P400	
100 mm	Alox, Zirconia, Silicon Carbide, Ceramic, Non-Woven	Fiber, Nonwoven	P24-P400	

Drum Abrasives

Product Features

It is suitable for use in processes such as surface development and deburring. It has a wide application area thanks to different grit sizes and sandpaper options.

Used for grinding finishing deburring an metal, wood and various materials.



Mineral	Diameter	Grain
Aluminium Oxide Silicon Carbide (SIC) Ceramic Zirconium	10 12 15 20 30 40 50 60 76	P24 P800

Cartridge Rolls



Product Features

Cartridge rolls are ideal for getting into small, hard to reach spaces. As they wear, the wrapped layers of the cartridge roll continually expose fresh abrasive layers for continued cutting action. Available in regular and tapered construction.

Mineral	Size	Form	Grain
Aluminium Oxide	10x40	Cylindrical	P40-P600
Silicon Carbide (SIC)	12x40	Cylindrical	P40-P600
Ceramic	15x40	Cylindrical	P40-P600
Zirconium	8x14x40	Conical	P40-P600

Notes

egebant®

www.egebant.com.tr

egebant®

Headquarter
TOSB 3. Cadde No: 23, Postal Code: 41420,
Sekerpinar, Cayirova / Kocaeli, Turkey
T: +90 262 679 1313
F: +90 262 679 1300
E: info@egebant.com.tr

www.egebant.com.tr

/egebant /egebantcom /Egebant /Egebant /EgebantComTr